



# FOLDED SURFACES 015

SUR-FLD-015





# **Product Specifications**

Product Name	Folded Surfaces 015					
Product ID	SUR-FLD-015					
Acoustics	0.55 - 0.95 NRC*					
Lead Time	Lead time is dependent on project size. Contact us for more information.					
Durability	Contract					

Warranty	Comes with industry-leading standard warranty.					
Flammability	ASTM E84: Class A					
	Custom colors and manufacturing services available. Additional charges and lead times may apply.					
	Vacuum occasionally to remove airborne dust or debris. Mild detergents or soaps may be used to remove stains. For detailed care instructions, refer to the <b>CSI</b> <b>Creative Maintenance Information</b> document.					

## **Material Specifications**

	Soundcore®
Content	Recycled PET acoustic felt
Weathering	Colorfast, non-deteriorating, non-hygroscopic
	Recycled PET acoustic felt is 60% post-consumer recycled content and is 100% recyclable. Contributes points toward LEED v4. CDPH v1.2, VOC free, non-toxic, non-allergenic, anti-microbial - does not attract mold and mildew. Compliant with Living Building Challenge criteria & DECLARE Red List Free.
	PET felt panels are created through a manufacturing process known as 'felting'. This process results in a heathered appearance. Multiple color tones may appear in the same panel. Slight color variations should be expected.





**Declare**. PoshFelt' 100% Organic Wo Felt CSI Creative

\*Approximate. NRC rating may vary due to product dimensions and spacing.



### Dimensions

### **Standard Unit Dimensions**

Typical ranges for height and width.


A: 108"

### **Custom Opportunity**

Product dimensions can be manipulated in order to fit your design aesthetic and site conditions.


### **Standard Unit Thicknesses**

Thickness is independent of material layer selection.






### **Product Details**






# **Configuration Options**

The layouts shown are a summation of individual units. Individual units may be assembled in various arrangements to dictate the larger design. Configurations shown are suggested, but can be rearranged to achieve a custom layout.







Alternating



### Installation Options\*


All products and installation methods can be customized to meet the unique requirements of your space.

#### Individual

Attachment solution allowing for independent installation of units.

- +Allows for multiple unit orientations
- +No visible hardware

Available methods: Panel Clip, Metal Bracket




#### Rail

Attachment solution using physical hardware to attach to an existing surface or substrate.

- +Controlled unit spacing and orientation
- + Fastest installation time
- +Lowest labor cost

Available methods: Linear Rail



\*Not all listed attachment methods may be applicable to this product.



# Material Layers

#### Soundcore®

Our recycled PET felt creates an acoustic barrier, defending against wandering white noise and irritating echoes.






Single Layer ½" Thickness

### Soundcore® Wood Textures

Soundcore<sup>®</sup> wood textures provide the natural aesthetic of wood while maintaining all the acoustic benefits of PET felt. Custom texture opportunities are also available upon request.



Single Layer ½" Thickness





### Soundcore® | 1/2" Thickness

SND019	<b>SND037</b>	SND134	<b>SND135</b>	SND105	<b>SND109</b>	<b>SND111</b>	SND130	SND131	SND125
Linen	Paper	Oat	Vanilla Bean	Sand Dollar	Macadamia	Lanai	Buckskin	Abalone	Chinchilla
SND118	SND126	SND110	SND102	SND114	SND034	SND132	SND103	SND038	SND122
Anchor	Wolfhound	Starry Night	Morning Fog	Lunar Dust	Granite Peak	Cast Iron	Storm Cloud	Inkwell	Briquette
SND127	SND108	<b>SND104</b>	SND106	SND113	SND107	SND136	SND129	SND115	SND137
Burnt Toast	Ablaze	Pumpkin	Goldfinch	Gruner	Grasshopper	Clover	Dried Thyme	Mako	Cove
SND112	SND121	SND123	SND117	SND124	SND128	SND133	SND116	SND101	SND042
Tulum	Apatite	Chrysocolla	Serene	Ice Floe	Arctic Ocean	Galactic	Blue Marlin	Commodore	Denim



### Soundcore® Wood Textures | 1/2" Thickness















SND790

Natural Teak



SND716 Dark Teak

SND711

Bleached Cherry



SND715 Dark Cherry

SND794 Warm Teak

SND793

Vintage Maple

SND791

Gray Oak

SND714 English Walnut

SND713 Honey Walnut

SND717 Warm Oak

SND712 Natural Spruce





SND795 Light Teak

SND709 White Maple



SND710 Gray Teak

